Contents

Preface xi
G. Zerbi (Milan, Italy)

Sponsors xii

1. Structure, Electrical Properties and Transport Properties

The design of polymeric organic metals: structure–property relationships 1
V. Enkelmann, J. Halim, H. Fischer, G. Wegner (Mainz, Germany) and P.-A. Albouy (Orsay, France)

Transport properties of new polyacetylene 7
G. Paasch (Dresden, Germany)

Free carriers in heavily doped polyacetylene. 25
W. Markowitsch (Vienna, Austria) and G. Leising (Graz, Austria)

Heterogeneous electrical conductivity in metallic polyacetylene films 31
F. Körner, G. Thummes and J. Kötzler (Hamburg, Germany)

Study of the block copolymer polystyrene–polyacetylene in solution 37
P. Garrin, J. P. Aimé (Paris, France), D. Reibel and C. Mathis (Strasbourg, France)

Conductometric and high-frequency dielectric properties of the poly-(phenylacetylene)/iodine system in tetrahydrofuran solutions 45
C. Cametti, A. Furlani, G. Iucci and M. V. Russo (Rome, Italy)

Characterization and d.c. conductivity of poly(*p*-phenylene vinylene) films doped with $FeCl_3$ 55
R. Mertens, P. Nagels, R. Callaerts, M. Van Roy (Antwerp, Belgium), J. Briers and H. J. Geise (Wilrijk, Belgium)

Electrochemical doping of poly(*p*-phenylene sulfide) in concentrated sulfuric acid 63
C. Arbizzani, M. Mastragostino (Bologna, Italy), G. Dellepiane and P. Piaggio (Genoa, Italy)

a.c. electrical properties of poly(3-n-hexylthiophene) 69
R. H. M. van de Leur (Delft, Netherlands)

Some features of the electrochemical behaviour of solute redox species on poly(thiophene) and poly(3-methylthiophene)-coated electrodes: manifestation of the 'memory' effect in the electrode kinetics 75
M. Lapkowski (Grenoble, France) and M. D. Levi (Moscow, Russia)

Environmental and electrochemical stability of poly(dithienothiophene) 81
M. Siekierski and J. Płocharski (Warsaw, Poland)

Impedance studies of electrogenerated polypyrrole films. 87
T. F. Otero and E. Angulo (San Sebastián, Spain)

Structural aspects of the polyaniline family of electronic polymers 95
J. P. Pouget, M. Laridjani (Orsay, France), M. E. Jozefowicz, A. J. Epstein (Columbus, OH, USA), E. M. Scherr and A. G. MacDiarmid (Philadelphia, PA, USA)

p-type doping of C_{60} films 103
W. Maser, S. Roth, J. Anders, J. Reichenbach, M. Kaiser, H. Byrne, H. Schier, M. Filzmoser (Stuttgart, Germany), E. Sohmen, J. Fink (Karlsruhe, Germany), P. Bernier, A. Zahab (Montpellier, France), H.-U. Siehl and M. Hanack (Tübingen, Germany)

Electrochemical properties of thermally-structurized polymers 109
L. Sawtschenko, K. Jobst, J. Froehner, L. Wuckel and G. Paasch (Dresden, Germany)

New charge-transfer complexes with polyconjugated sulfur compounds 115
A. Bartl, J. Fröhner, T. Kniess, G. Domschke, R. Mayer (Dresden, Germany) and S. Roth (Stuttgart, Germany)

2. Optical Properties, Electronic Properties and Photoconductivity

Nonlinear optical processes in conjugated polymers: configuration interaction description of linear polyenes and VEH/SOS evaluation of polyarylene vinylenes 123
Z. Shuai, D. Beljonne and J. L. Brédas (Mons, Belgium)

Non-linear optical response to strong applied electromagnetic fields in polyconjugated materials 135
M. Del Zoppo, C. Castiglioni, G. Zerbi (Milan, Italy), M. Rui and M. Gussoni (Genoa, Italy)

Molecular orbitals and optical nonlinearities for symmetrically substituted benzylidene anilines 147
Y. Mori, T. Kurihara, T. Kaino and S. Tomaru (Tokai, Ibaraki, Japan)

Quantitative determination of the $\chi^{(3)}$-dispersion of conjugated polymers by resonance CARS line-shape analysis 153
W. Werncke, M. Pfeiffer, A. Lau and S. Schrader (Berlin, Germany)

Electronic properties of the bipolaron lattice in poly(*p*-phenylene). 161
H. W. Streitwolf and H. Puff (Berlin, Germany)

Extended states in disordered doped polyacetylene chains 169
F. C. Lavarda (Campinas, SP and Bauru, SP, Brazil), D. S. Galvão (Campinas, SP, Brazil) and B. Laks (Bauru, SP, Brazil)

Electronic structure of polyacetylene with bonded oxygen 175
F. C. Lavarda (Campinas, SP and Bauru, SP, Brazil), D. S. Galvão (Campinas, SP, Brazil) and B. Laks (Bauru, SP, Brazil)

Theoretical studies on Carter's soliton switch 179
M. C. dos Santos (Recife, PE, Brazil), S. O. Dantas and D. S. Galvão (Campinas, SP, Brazil)

The electronic structure of α,ω-diphenyltetradecaheptaene, a model molecule for polyacetylene, as studied by photoelectron spectroscopy 187
M. Lögdlund, P. Dannetun, B. Sjögren, M. Boman, C. Fredriksson, S. Stafström and W. R. Salaneck (Linköping, Sweden)

Characterization of segmented and highly oriented polyacetylene by electron spin resonance 197
A. Bartl, J. Fröhner (Dresden, Germany), R. Zuzok and S. Roth (Stuttgart, Germany)

Poly(alkylthiophenes): chain conformation and thermochromism 203
D. A dos Santos D. S. Galvão, B. Laks (Campinas, SP, Brazil) and M. C. dos Santos (Recife, PE, Brazil)

Lattice dynamics and vibrational spectra of pristine, doped, and photoexcited poly(3-methylthiophene) 211
V. Hernández and J. T. López Navarrete (Málaga, Spain)

An investigation into the electronic structure of poly(isothianaphthene) 219
I. Hoogmartens, P. Adriaensens, R. Carleer, D. Vanderzande, H. Martens and J. Gelan (Diepenbeek, Belgium)

Conformational study and lattice dynamics of poly(*p*-phenylene): oligomers and polymer 229
J. Soto, V. Hernández and J. T. López Navarrete (Málaga, Spain)

Optical properties and photoinduced absorptions in unsymmetrical polycarbazolyldiacetylenes 239
G. Dellepiane, C. Cuniberti, P. Piaggio, G. F. Musso, D. Comoretto, G. Lanzani (Genoa, Italy), A. Piaggi and A. Borghesi (Pavia, Italy)

Picosecond photoconductivity in $(CH)_x$ 245
J. Reichenbach, M. Kaiser, J. Anders, H. Byrne and S. Roth (Stuttgart, Germany)

Photoconductivity of C_{60}/C_{70} films 251
M. Kaiser, J. Reichenbach, H. J. Byrne, J. Anders, W. Maser, S. Roth (Stuttgart, Germany), A. Zahab and P. Bernier (Montpellier, France)

Spectroscopic investigations of fullerene in the solid state 257
K. Pichler, R. H. Friend (Cambridge, UK), W. J. Romanow, W. J. Romanow, Jr., H. Mertwoy and J. E. Fischer (Philadelphia, PA, USA)

In situ optical spectroscopy of electrochemical doping of polypyrrole 267
S. Skaarup, K. West, B. Zachau-Christiansen and T. Jacobsen (Lyngby, Denmark)

Polarons in non-ideal conjugated systems 277
T. P. Nguyen, S. Lefrant (Nantes, France), V. H. Tran, A. Guyot (Vernaison, France) and P. Molinie (Nantes, France)

3. Synthesis and Electropolymerization

Fusion of heterocyclic polymerogenic units onto a central ring: a fruitful approach to the investigation and specific tailoring of the dependence of electrical properties on monomer structure in conductive polyheterocycles 287
A. Berlin, E. Brenna, G. A. Pagani, F. Sannicolò (Milan, Italy), G. Zotti and G. Schiavon (Padua, Italy)

Progress toward the development of a chemical synthesis for poly(2,5-pyrrole) 299
S. Martina, V. Enkelmann, G. Wegner (Mainz, Germany) and A.-D. Schlüter (Karlsruhe, Germany)

Electrogeneration: a fast way, through a complex mechanism, to obtain polyconjugated tailored materials 307
T. F. Otero and J. Rodríguez (San Sebastián, Spain)

Dependence of polypyrrole production on potential 313
T. F. Otero and C. Santamaría (San Sebastián, Spain)

Control of the interface properties of conducting polypyrrole 321
D. Delabouglise (Thiais, France)

Poly(2,5-heteroarylene vinylene) from a precursor polymer soluble in organic solvents 329
W. Eevers, D. De Schrijver, T. Dierick, C. Peten, J. Van Der Looy and H. J. Geise (Wilrijk, Belgium)

Electrochemical synthesis of composite poly(*p*-phenylene) materials 339
L. M. Goldenberg, S. Aeiyach and P. C. Lacaze (Paris, France)

Electropolymerization of benzene in a two-phase strong proton acid–benzene system 343
L. M. Goldenberg, S. Aeiyach and P. C. Lacaze (Paris, France)

Low potential anodic polymerization of benzene in methanesulfonic and trifluoromethanesulfonic acid solutions 349
L. M. Goldenberg, S. Aeiyach and P. C. Lacaze (Paris, France)

4. Devices

Conjugated polymer semiconductor devices: characterisation of charged and neutral excitations 357
R. H. Friend (Cambridge, UK)

Electrochemical sensors based on polyconjugated conducting polymers 373
G. Zotti (Padua, Italy)

Blue electroluminescent device based on a conjugated polymer. 383
G. Grem, G. Leditzky, B. Ullrich and G. Leising (Graz, Austria)

Consequences of fixed soliton confinement width for molecular 'switching': α,ω-diarylpolyenyl anions. 391
L. M. Tolbert and M. E. Ogle (Atlanta, GA, USA)

Polypyrrole microtubules and their use in the construction of a third generation biosensor. 397
C. G. J. Koopal, M. C. Feiters, R. J. M. Nolte (Nijmegen, Netherlands), B. de Ruiter (Delft, Netherlands), R. B. M. Schasfoort (Zeist, Netherlands), R. Czajka and H. Van Kempen (Nijmegen, Netherlands)

Optical waveguiding of PMMA doped with $(t\text{-Bu})_4$-Pb-phthalocyanine in anisotropic multilayer (μm) geometries: an m-line study. 407
M. Lindgren, H. Ohkawa, T. Wada and H. Sasabe (Wako, Saitama, Japan)

Role of the semiconductor/insulator interface in the characteristics of π-conjugated-oligomer-based thin-film transistors 419
G. Horowitz, X.-Z. Peng, D. Fichou and F. Garnier (Thiais, France)

Electrochemical applications of thermally-structurized polyconjugated polymers 425
K. Jobst, L. Sawtschenko, M. Schwarzenberg, G. Paasch and L. Wuckel (Dresden, Germany)

Charge separation in mixed-halide MX crystals: novel device applications. 431
A. Saxena, A. R. Bishop, L. A. Worl and B. I. Swanson (Los Alamos, NM, USA)

Author Index of Volume 51 437

Subject Index of Volume 51. 439